## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48307	(ink or print) near4 (density or pitch or thick\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 14:51
L2	4604	(ink or print) near4 (density or pitch or thick\$3) near20 (characters or symbols or line or figures or pictur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 14:54
L3	2	(ink or print) near4 (density or pitch or thick\$3) near20 (characters or symbols or line or figures or pictur\$4) near20 zeolite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 14:55
L4	2	(ink or print or dot) near4 (density or pitch or thick\$3) near20 (characters or symbols or line or figures or pictur\$4) near20 zeolite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 14:56
L5	2	(ink or print or dot or pixel) near4 (density or pitch or thick\$3) near20 (characters or symbols or line or figures or pictur\$4) near20 zeolite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 14:56
L6	128638	zeolite or analcime or chabazite or clinoptilolite or heulandite or natrolite or philipsite or stilbite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 14:57
L7	128638	L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 14:57

L8		•	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 15:01
L9	109	(ink or print or dot or pixel) near4 (density or pitch or thick\$3) near20 (characters or symbols or line or figures or pictur\$4) near20 (moist\$4 or wet\$4 or damp or water or fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02 15:02
L10	6	(ink or print or dot or pixel) near4 (density or pitch or thick\$3) near20 (characters or symbols or line or figures or pictur\$4) near20 (moist\$4 or wet\$4 or damp or water or fluid) near20 (transparent or translucent or (see near3 through) or clear\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02
L11	6	(ink or print or dot or pixel) near4 (density or pitch or thick\$3) near20 (characters or symbols or line or figures or pictur\$4) near20 (moist\$4 or wet\$4 or damp or water or fluid) near20 (transparent or translucent or (see near3 through) or clear\$4 or pellucid or limpid or crystalline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/02/02
S1	1525	resin with zeolite and (print\$4 or picture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/20 20:34

\$2	11	resin with zeolite and ((print\$4 or picture) with (transpar\$5 or clear) with (moist\$4 or humid\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/20 20:36
S3	27	zeolite with (transpar \$5 or clear) with (moist\$4 or humid\$5 or wet or (adsorb\$4 near3 water))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/20 21:24
S4	5	"2005053821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/27 17:02
<b>S</b> 5	31	"5224373"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/27 17:05
<b>S</b> 6	10	"6262028"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/27 17:05
S7	0	"60262028"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/27 17:06
S8	0	6-262028	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/27 17:06
S9	1021	"1994" with "9" with "20"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/27 17:06
S10	22	"1994" with "9" with "20" with japan\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/27 17:06
S11	9739	zeolite near3 adsorb \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 09:29
S12	11373	humid\$3 with indicat \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 09:30
S13	94	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 09:31

S14	575	116/206	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 10:27
S15	12	S14 and zeolite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 10:27
S16	0	"105808933"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 10:37
S17	1	"10580933"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 10:37
S18	32	"4038050"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 11:37
S19	2	(US-4038050-\$ or US-5224373-\$).did.	USPAT	ADJ	ON	2009/05/28 11:37
S20	0	S19 and reflect\$5	USPAT	ADJ	ON	2009/05/28 11:38
S21	299	print\$4 with layer with thick\$4 with (micrometer or um)	USPAT	ADJ	ON	2009/05/28 11:39
S22	3542	print\$4 with layer with thick\$4 with (micrometer or ".mu. m")	USPAT	ADJ	ON	2009/05/28 11:41
S23	4432	print\$4 with layer with thick\$4 with (micrometer or ".mu. m" or micron)	USPAT	ADJ	ON	2009/05/28 11:42
S24	251	print\$4 with layer with thick\$4 with (micrometer or ".mu. m" or micron) with ink with film	USPAT	ADJ	ON	2009/05/28 11:42
S25	4	print\$4 with layer with thick\$4 with (micrometer or ".mu. m" or micron) with ink with film with (advantage or benefit or purpose)	USPAT	ADJ	ON	2009/05/28 11:46
S26	3	"5712023" and nakajima	USPAT	ADJ	ON	2009/05/28 12:11

S27	3	"5712023" and nakajima and thermoplastic	USPAT	ADJ	ON	2009/05/28 12:11
S28	0	"5712023" and nakajima and thermoplastic and "1998"	USPAT	ADJ	ON	2009/05/28 12:11
S29	2	"5712023" and nakajima and thermoplastic and polyolefin	USPAT	ADJ	ON	2009/05/28 12:12
S30	4	S19 or S29	USPAT	ADJ	ON	2009/05/28 12:12
S31	0	S30 and reflect\$4	USPAT	ADJ	ON	2009/05/28 12:13
S32	103	reflect\$4 with humid \$4 with indicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 12:16
S33	30	reflect\$4 with humid \$4 with indicat\$4 with surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 12:16
S34	0	reflect\$4 with humid \$4 with indicat\$4 with surface with (advantag\$4 or benefit or purpose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 12:16
S35	265	print\$4 with layer with (weight or wt) with (pigment or dye) with resin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 12:23
S36	3	print\$4 with layer with (weight or wt) with (pigment or dye) with resin with (benefit or advantag \$4 or purpose or desire\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 12:23
S37	11	print\$4 with layer with (weight or wt) with (pigment or dye) with resin with (percent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 12:25
S38	280954	polyolefin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 13:58

<b>S</b> 39	2	polyolefin with zeolite with reflect\$4 with (moist\$4 or humid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 13:59
S40	32	(polyolefin or zeolite) with reflect\$4 with (moist\$4 or humid \$4)	with reflect\$4 with USPAT; (moist\$4 or humid USOCR; EPO;		ON	2009/05/28 14:00
S41	0	another with (moistur \$4 or humid\$4) with layer	\$4 or humid\$4) with USPAT;		ON	2009/05/28 14:18
S42	102480	(moistur\$4 or humid \$4) with layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 14:18
S43	0	(moistur\$4 or humid \$4) with layer with (another)	ır\$4 or humid US-PGPUB; h layer with USPAT;		ON	2009/05/28 14:18
S44	319	(moistur\$4 or humid \$4) with layer with (superposed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 14:19
S46	1171	(moistur\$4 or humid US-PGPUI \$4) with layer with USPAT; (second) with (absorb USOCR; E \$4 or adsorb\$4 or JPO; DER indicat\$4)		ADJ	ON	2009/05/28 14:20
S47	9	(moistur\$4 or humid \$4) with layer with (second) with (absorb \$4 or adsorb\$4 or indicat\$4) with zeolite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 14:21
S48	90	humidity with indicator with bag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 14:42
S49	73	73/29.04	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2009/05/28 15:13
S50	127516	zeolite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/01/16 15:45

S51	128160	zeolite or analcime or chabazite or clinoptilolite or heulandite or natrolite or philipsite or stilbite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/01/16 15:46
S52	70	S51 near10 (wet\$5 or water\$4 or humid \$5 or moist\$5) near10 (clear or (see near3 through) or transparent or translucent or opaque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/01/16 16:02
S53	65	S51 near10 (wet\$5 or water\$4 or humid \$5 or moist\$5) near10 (clear or (see near3 through) or transparent or translucent or opaque) not near10 soft\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/01/16 16:04
S54	64	S51 near10 (wet\$5 or water\$4 or humid \$5 or moist\$5) near10 (clear or (see near3 through) or transparent or translucent or opaque) not near20 soft\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/01/16 16:04
\$555	51	S51 near10 (wet\$5 or water\$4 or humid \$5 or moist\$5) near10 (clear or (see near3 through) or transparent or translucent or opaque) not soft\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/01/16 16:05
S56	2	"2002206046"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2010/01/19 11:48

## **EAST Search History (Interference)**

Ref#	Search Query	DBs	Default Operator	Plurals	Time Stamp
			·	·	

L12	96	•	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/02 15:10
-----	----	---	-----------------------------	-----	----	------------------

## 2/2/2010 4:17:47 PM

C:\ Documents and Settings\ adevito\ My Documents\ EAST\ Workspaces\ 10580933.wsp